

Common Core Principles for Supporting People with Dementia

A guide to training the social care and health workforce

skillsforcare

Hea

Ministerial foreword

Dementia is one of the most important issues we face as the population ages. The coalition Government is committed to implementing Living well with dementia: A National Dementia Strategy in full. The Strategy sets out a vision for transforming dementia services with the aim of achieving better awareness of dementia, early diagnosis and high quality treatment at whatever stage of the illness and in whatever setting.

Last September the Government published a new outcomes-focused implementation plan Quality outcomes for people with dementia: building on the work of the National Dementia Strategy, with a greater focus on accelerating the pace of improvement in dementia care, through local delivery and local accountability.

The quality of the workforce is critical to the successful implementation of the Strategy. To support the delivery of improved education and training on dementia, the Department of Health has established a Workforce Advisory Group, chaired by Professor Alistair Burns, National Clinical Director for Dementia.

To support this work the Department has asked Skills for Care and Skills for Health to develop this set of Common Core Principles for Supporting People with Dementia. The principles have been devised by working with employers, people with dementia, carers and provider organisations.

I hope these principles will be used to support workforce development by any health or social care



Contents

Purpose and structure of the guide 1.

The Common Core Principles for Supporting People with Dementia 2.

1. Introduction 3.
   - Rationale
   - How to use the common core principles

2. The common core principles, with ‘indicative behaviours’ for the workforce



This guidance was commissioned by the Department of Health as part of the implementation of the National Dementia Strategy: Living Well with Dementia (Department of Health 2009).

The guidance was researched and compiled by Karen Davies, Skills for Health and James Cross, Skills for Care.

We would like to thank all those people who have provided advice for the development of the

Purpose and structure of the guide

This guide presents eight Common Core Principles for Supporting People with Dementia. They can be used to enable workforce development for any member of staff working in health or social care with people at any stage of dementia, from the earliest signs to the fully diagnosed condition. The common core principles are relevant to every setting and provide a basis for a general understanding of the condition. They aim to build workers' con dence in adapting their actions and communication in order to respond appropriately to the person with dementia. Signposting to resources and further reading has been included at the end of the guide.

Although the guide is written primarily for the health and social care sectors, the principles and supporting information will also be of interest to those working in any situation where people interact with those with dementia. The principles can be applied to any customer-focused provision, with equal relevance to those working in settings such as shops and banks, as well as public sector settings such as library, education and housing services.

The principles have been written on the assumption that the workforce supporting people in the later stages of dementia will have received specialist training and support.

Section 1 Introduction

Describes the rationale for developing the principles, presents background information on dementia and suggestions for using the guide.

Section 2 Common core principles

Sets out the common core principles and the indicative behaviours expected in a skilled workforce.

Section 3 Embedding the common core principles

Provides guidance for leaders and managers, commissioners and training and education leads to develop a workforce that can create dementia friendly settings. These settings are able to demonstrate that people with dementia are supported appropriately, with staff who are con dent in adapting their behaviour to provide care that enables people to 'live well with dementia'.

Section 4 Planning training and development

Provides guidance on planning and delivering education for the wider workforce that is tailored to local contexts. This includes signposting to the national occupational standards and quali cations that support training and education but does not provide a prescriptive list of competences.

The Common Core Principles for Supporting People with Dementia

Principle 1	Know the early signs of dementia.
Principle 2	Early diagnosis of dementia helps people receive information, support and treatment at the earliest possible stage.
Principle 3	Communicate sensitively to support meaningful interaction.
Principle 4	Promote independence and encourage activity.
Principle 5	Recognise the signs of distress resulting from confusion and respond by diffusing a person's anxiety and supporting their understanding of the events they experience.
Principle 6	Family members and other carers are valued, respected and supported just like those they care for and are helped to gain access to dementia care advice.
Principle 7	Managers need to take responsibility to ensure members of their team are trained and well supported to meet the needs of people with dementia.
Principle 8	Work as part of a multi-agency team to support the person with dementia.

1. Introduction

“As their dementia progresses, people may be less able to enter our world

Training and development has a key role in the implementation of the National Dementia Strategy (DH 2009) and these common core principles will support development of the wider workforce. The best way to create a workforce that completely understands and responds positively to people with dementia is for workers, students and trainees to have these principles embedded in their practice. The common core principles should be used as a general framework, which can be adapted and used exibly according to the speci c needs of the setting. They can provide the basis of training and development for individual workers, teams and for wider corporate training programmes. They have been mapped to generic national occupational standards and agreed units of learning available through the Quali cations and Credit Framework (QCF). Employers are encouraged to use these resources as a foundation for their development plans for speci c local settings. Section 3 gives the opportunity to contextualise the principles and national occupational standards to speci c situations.

How to use the common core principles

The common core principles will enable health and social care practitioners to respond in a timely and appropriate way to the needs of people with emerging signs of dementia as well as to those with a con rmed diagnosis of the condition. They have been developed using current policy and guidance – particularly Living Well with Dementia: A National Dementia Strategy (DH 2009) and the National Dementia Declaration for England (DAA 2010) – and advice from carers and practitioners. The common core principles will be a central element in supporting organisations to implement their local dementia strategies and plans as indicated in diagram 1. They will support developments which take place locally to improve the experience of people with dementia and their carers using health and social care services, along with other guidance such as the Core Competences for End of Life Care (SfC/SfH/DH/NHS 2009) and Carers Matter – Everybody's Business (SfC/SfH 2011). In addition it may also be helpful to consider the Department of Health document Quality outcomes for people with dementia: Building on the work of the National Dementia Strategy (DH, 2010).



Diagram 1 The role of the common core principles in implementing the Dementia Strategy at a local level.

2. The Common Core Principles for Supporting People with Dementia

In this section, we describe the common core principles together with the indicative behaviours that the workforce should demonstrate to show that the principles have been embedded in the way they respond to the person with dementia.

Principle 1 Know the early signs of dementia

- Loss or lapses of recent memory
- Mood changes or uncharacteristic behaviour (in later stages this will become more pronounced)
- Poor concentration
- Problems communicating
- Getting lost in familiar places
- Making mistakes in a previously learned skill (e.g. cookery)
- Problems telling the time or using money
- Changes in sleep patterns and appetite
- Personality changes
- Visio-spatial perception issues (i.e. the brain does not process images as normal)

In later stages these signs will be more pronounced, and it can become more difficult for people to live well with dementia.

Context

The signs of early dementia can include loss of memory, mood changes, loss of concentration and problems communicating. It is important that people working in health and social care have some understanding of these signs so they can identify if people they are caring for may have dementia and need adjustments to the care they receive. Health and social care workers should understand that when people with dementia show challenging behaviour they are not being challenging on purpose, but that this is part of the condition (see principle 5).

Indicative behaviours demonstrated by the workforce:

- You should be able to identify the signs listed above and always be aware of their existence in people you are working with. It is important that you understand that these signs are associated with dementia – but they can also be associated with other conditions that may need investigation.



- Understand that dementia is a progressive condition, which means the damage to the brain and its effects become more pronounced over time. It is likely that different approaches may be needed at different points to support people with dementia.
- You should be aware of the implications of other disabilities or illnesses that may show the signs of dementia.
- Ensure that you support people affected and their main carers* in their own homes. You also need to be able to recognise if the situation is deteriorating – and ensure appropriate support is in place.
- Think about the whole person when assessing for signs of dementia, taking into account their usual interests, behaviour and home support.

Principle 2 Early diagnosis of dementia helps people receive information, support and treatment at the earliest possible stage

Context

Early diagnosis ensures that every individual with initial signs of dementia is able to plan for their short, medium and long term health and well-being needs.

A medical diagnosis will help to rule out other conditions that may have similar symptoms to dementia.

Specialists can make an early diagnosis, through a referral by the GP. It is a supportive process rather than a negative experience providing reassurance for the person affected and their family, friends and carers.

Dementia is identi ed through a process of evaluating diagnostic evidence from different sources by a consultant. The person's health and emotional well-being should be assessed in the context of their usual pattern of skills and behaviour.

Finally it is important to remember that the diagnosis of dementia can have an effect on the person's emotions.

Indicative behaviours demonstrated by the workforce:

- If you are concerned that a person you are supporting has any change in their physical or mental health then you can suggest that they seek GP advice and support, and possibly obtain a referral to a consultant.

* 'Carer' is used throughout to indicate family and friends who provide social care support, as distinct from social care workers and volunteers.

When speaking:

- speak clearly using short sentences—don't give too much information or ask too many questions
- use simple vocabulary and avoid jargon
- remember that it takes time for people with dementia to take in a question, find the right words and frame the reply; don't use more explanations as this will cause more confusion—just wait
- try not to finish a person's sentence unless you are asked to do so
- try to avoid negative statements such as "Don't…", instead try to reinforce positive behaviour
- remember to monitor your tone of voice carefully
- enjoy interacting together and use humour to communicate this pleasure.

- Repetitive questions from people with dementia can be challenging—try to respond as though it is the first time you have heard the question.
- Whatever is said to you, it is best to accept this and not argue.
- You may need to frame any questions so the person can answer 'yes' or 'no' in specific situations, but avoid using this technique extensively.
- Listen carefully to grasp the meaning and tone of the person's conversation.
- You should use non verbal communication such as gesture, facial expression and written communication.
- Take account of any hearing or visual problems or second language difficulties.
- You can use images, pictures, symbols or music to enhance communication and facilitate understanding.
- If the person is already receiving other services, communication should be undertaken according to any communication guidelines that have been already developed to support the person (e.g. in their care plan).

Principle 4

Principle 5 Recognise the signs of distress resulting from confusion and respond by diffusing a person’ s anxiety and supporting their understanding of the events they experience

ƒ You should be aware that the following could cause challenging behaviour:

- misunderstanding their environment
- feeling frustrated at being unable to understand others or make themselves understood
- feeling frightened
- loss of inhibitions, self control and decreased awareness of rules about appropriate behaviour
- responding to what they feel to be over-controlling care
- past history and experiences
- being in pain, including chronic pain
- your or others' responses to their actions.

ƒ You can support a person with challenging behaviour by following the approach suggested by the Alzheimer's Society:

1) nd ways to react calmly if challenging behaviour has occurred
2) work out what triggers the aggressive behaviour
3) tackle the triggers
4) take time to manage your own feelings
5) be creative in nding alternative activities to help an individual move on from feelings of anxiety.

"As their dementia progresses, people may be less able to enter our world – we may need to enter theirs and enjoy it with them" as campaigner Barbara Pointon puts it.

Principle 6 Family members and other carers are valued, respected and supported just like those they care for and ar e helped to gain access to dementia care advice.

Context

Dementia can be a distressing condition as the person's cognitive abilities deteriorate, causing upset, frustration and/or embarrassment for the person with dementia and for their family, friends and carers.

Family, friends and carers need to maintain their own health and well-being as well as care for the person with dementia. Family members need to have support with developing their own coping strategies.

Planning for the future and making arrangements to manage nancial needs will be essential for the person and their family—possibly including ‘lasting power of attorney’.

It is very important that the main carer is shown how to access forms of respite care and that their own support needs are assessed. Respite care can be provided in the person’s home (through a domiciliary care agency or personal assistant). See Carers Matter – Everybody’s Business (SfC/SfH 2011).

Indicative behaviours demonstrated by the workforce:

- Understand that dementia is also distressing for the main carer and families.
- You should be able to encourage family and friends to participate in shared activities with the person with dementia. It is essential to respect the choices made by family and friends.
- Signposting people to information to help them understand the impact of dementia or to refer them to colleagues/other sources of advice who can help them with this.
- Support for family and friends to express their concerns, acknowledge their worries and nd ways of responding positively to the dif culties presented.
- Encourage people with dementia to maintain their social contacts, as this provides essential support for the family as well as for the person with dementia.
- You must involve the family or main carer in all planning and discussions on care and welfare. It should not be assumed that the family can offer daily care.
- Understand how to support the assessment of carers’ needs—intervention should occur before breaking point.

Principle 7 Managers need to take responsibility to ensure members of their team are trained and well supported to meet the needs of people with dementia

Context

Managers working in health and social care have a responsibility to ensure their teams are adequately trained and supported to be able to meet the needs of people with dementia. Different members of the team may require different levels of support and training depending on their speci c job role, the nature of their work and the support needs of the people they are working with.

Indicative behaviours demonstrated by the workforce:

- Managers should identify the most appropriate communication channels for staff teams to ensure people with dementia have appropriate support.
- Managers need to ensure all team members receive basic awareness training and education together with regular updates. This should be supported by the personal development plans of team members.
- Managers should ensure staff induction programmes for new staff include dementia awareness.
- Managers should consider inviting specially trained dementia specialists to support the wider team to improve the quality of care provided by every team member (including consideration of supporting this with dementia-speci c quali cations such as the QCF awards and certi cates in awareness of dementia and dementia care, and the dementia pathways through the QCF diplomas in Health and Social Care at levels 2 and 3).
- Managers should ensure their team are trained to devise, deliver and review joint care plans prepared with the person with dementia and their family or carer.
- Managers should try to ensure continuity of staff providing care where possible—this is reassuring to people with dementia.
- Managers should encourage staff to see the person and not the condition.
- Managers need to ensure health and social care staff are aware that dementia can complicate the treatment, care and support for people with other conditions and disabilities.

Principle 8 Work as part of a multi-agency team to support the person with dementia

Indicative behaviours demonstrated by the workforce:

- You should contribute to consistency of support in your workplace so that the person can get to know the people caring for them.
- Aim to have a seamless approach between different teams and agencies to support people with dementia.
- Ensure that information is provided for other people who may need to care for the person affected, especially when they move from one place to another, e.g. from home care to a residential setting.
- You should be able to explain to the person with dementia that sharing important information with carers and family will improve the support and treatment they receive. You must be able to decide if the person has the capacity to consent to this.
- You should ensure that appropriate processes are in place for information sharing between agencies. There may need to be an overall coordinator to do this.
- It may sometimes be appropriate for family carers to receive con dential information about the person they are caring for on a need to know basis.

Reviewing your workplace

The following questions should help you review your workplace and plan the training and development you need to make your service ‘dementia-friendly’. This can be used as a benchmarking record to monitor the improvements and changes that are introduced to the training and development available for the workforce.

What training needs to be accessed, designed and delivered? ƒ What kind of learning works best for your workforce? ƒ Negotiate with training providers—are the programmes built using national occupational standards? ƒ Use Quali cations and Credit Framework units to ensure your workforce achieves a recognised standard of skills ƒ Develop your own learning programme—use national occupational standards to inform your context-speci c competences	
How will the training and development be delivered? Examples: ƒ Corporate induction ƒ Local networks ƒ Regular staff meetings and training sessions ƒ Appraisals ƒ Dementia conference for full organisation and partners ƒ Others (specify)	



4. Developing a skilled workforce: planning training and development

The following table helps you to describe the detail of training and development for your speci c context. The Common Core Principles for Supporting People with Dementia have been mapped against suggested national occupational standards, but you will want to validate these standards with your staff groups, ensuring that the needs of the person affected remain central in the planning. You will then be able to devise your learning outcomes accordingly. Appendix 1 provides a table of the units of learning that are available for planning formal education programmes using the Quali cations and Credit Framework.

Table 1

Common Core Principles for Supporting People with Dementia	Example functions and national occupational standards (NOS) Use the Health Functional Map to identify NOS for your context https://tools. skillsforhealth.org.uk/	Common core principles indicative behaviours Identify the speci c indicative behaviours relevant to your operational policies/procedures
1. Know the early signs of dementia	Function A Assessment CHS39 Assess an individual's health status CHS42 Identify individuals with or at risk of developing long term conditions or related ill health	ƒ You should be able to identify the signs listed above and always be aware of their existence in people you are working with. It is important that you understand that these signs are associated with dementia – but they can also be associated with other conditions that may need investigation. ƒ Understand that dementia is a progressive condition, which means the damage to the brain and its effects become more pronounced over time. It is likely that different approaches may be needed at different points to support people with dementia. ƒ You should be aware of the implications of other disabilities or illnesses that may show the signs of dementia. ƒ Ensure that you support people affected and their main carers* in their own homes. You also need to be able to recognise if the situation is deteriorating – and ensure appropriate support is in place. ƒ Think about the whole person when assessing for signs of dementia, taking into account their usual interests, behaviour and home support.

2. Early diagnosis of dementia helps people receive information, support and treatment at the earliest possible stage.	Function B Health Intervention HSC26 Support individuals to access and use information CHS99 Refer individuals to specialist sources of assistance in meeting their health care needs	

	CHS151 Develop strategies to optimise individuals communication skills and abilities	- try not to nish a person's sentence unless you are asked to do so - try to avoid negative statements such as "Don't…", instead try to reinforce positive behaviour - remember to monitor your tone of voice carefully - enjoy interacting together and use humour to communicate this pleasure. ƒ Repetitive questions from people with dementia can be challenging—try to respond as though it is the rst time you have heard the question. ƒ Whatever is said to you, it is best to accept this and not argue. ƒ You may need to frame any questions so the person can answer 'yes' or 'no' in speci c situations, but avoid using this technique extensively. ƒ Listen carefully to grasp the meaning and tone of the person's conversation. ƒ You should use non verbal communication such as gesture, facial expression and written communication. ƒ Take account of any hearing or visual problems or second language dif culties. ƒ You can use images, pictures, symbols or music to enhance communication and facilitate understanding. ƒ If the person is already receiving other services, communication should be undertaken according to any communication guidelines that have been already developed to support the person (e.g. in their care plan).
4. Promote independence a		

	HSC45 Develop practices which promote choice, well-being and protection of all individuals HSC366 Support individuals to represent their own needs and wishes at decision making forums HSC330 Support individuals to access and use services and facilities CME4 Provide information and advice to support individuals in undertaking desired occupational and non-occupational activities OP12 Enable older people to cope with changes to their health and wellbeing	*f* It is important to do everything possible to support someone with dementia who is undergoing memory loss, e.g. by demonstrating how things can be done and using signage to support this. *f* Always try and support people with dementia to self care including using the toilet for as long as possible. However, in home care settings it is important to be mindful of the established roles of family or friends who are carers. *f* You should be able to support people with dementia to access mainstream services, such as shops and banks, wherever possible. *f* Ensure that people with dementia have access to appropriate means of nutrition and hydration. This should be supported in line with individual care plans (if available) *f* It is essential to presume a person has the capacity to make decisions for themselves unless it is proved otherwise. *f* You should support and enable individuals to use technology to support self care which is Principle 5 of the Common Core Principles to Support Self Care – (DH/SfC/SfH - Common Core Principles to support self care: a guide to support implementation, 2008). *f* You should assess the person's capacity to make decisions in accordance with the Mental Capacity Act. See NHS Choices for a summary: www.nhs.uk/CarersDirect/moneyandlegal/legal/Pages/MentalCapacityAct.aspx You should identify an appropriate person to work with you. You may need to know about the process of devising advanced statements, which outline how the person would like decisions to be taken on their behalf should they lose capacity, including advance decisions about refusing treatment, and about 'lasting power of attorney' and preferred place of care.

5. Recognise the signs of distress resulting from confusion and respond by diffusing a person's anxiety and supporting their understanding of the events they experience.	HSC382 Support individuals to prepare for, adapt to and manage change MH11 Enable families to address issues with individuals' behaviour HSC227 Contribute to working in collaboration with carers in the caring role HSC319 Support families in their own home	ƒ Be aware that challenging behaviour can be managed and supported in a variety of different ways, not just through the use of anti-psychotic drugs. ƒ You should be able to support people with dementia in a person-centred way which should help you identify any triggers that cause challenging behaviour. Always consider whether there is an unmet need that is causing the challenging behaviour. ƒ You should be able to identify the cause of confusion or any unmet needs that may be causing challenging behaviour. ƒ Try to remember that all behaviour is a reaction to a feeling—try to understand why someone may feel the causing the c:DC T* (way they n 11 295.988ET /Span 48/Lang (er



6. Family members and other carers are valued, respected and supported just like those they care for and are helped to gain access to dementia care advice.	HN3 Enable carers to access and assess support networks and respite services HSC387 Work in collaboration with carers in the caring role HSC319 Support families in their own home	*f* Understand that dementia is also distressing for the main carer and families. *f* You should be able to encourage family and friends to participate in shared activities with the person with dementia. It is essential to respect the choices made by family and friends. *f* Signposting people to information to help them understand the impact of dementia or to refer them to colleagues/other sources of advice who can help them with this. *f* Support for family and friends to express their concerns, acknowledge their worries and nd ways of responding positively to the dif culties presented. *f* Encourage people with dementia to maintain their social contacts, as this provides essential support for the family as well as for the person with dementia. *f* You must involve the family or main carer in all planning and discussions on care and welfare. It should not be assumed that the family can offer daily care. *f* Understand how to support the assessment of carers' needs—intervention should occur before breaking point
7. Managers need to take responsibility to ensure members of their team are trained and well supported to meet the needs of people with dementia	Function 2 Personal and People Development HCS43 Take responsibility for the continuing professional development of self and others GEN35 Provide supervision to other individuals Function H Management and Administration LMCA1 Manage and develop yourself and your workforce within care services H133 Manage multiagency collaborative working	*f* Managers should identify the most appropriate communication channels for staff teams to ensure people with dementia have appropriate support. *f* Managers need to ensure all team members receive basic awareness training and education together with regular updates. This should be supported by the personal development plans of team members. *f* Managers should ensure staff induction programmes for new staff include dementia awareness. *f* Managers should consider inviting specially trained dementia specialists to support the wider team to improve the quality of care provided by every team member (including consideration of supporting this with dementia-speci c quali cations such as the QCF awards and certi cates in awareness of dementia and dementia care, and the dementia pathways through the QCF diplomas in Health and Social Care at levels 2 and 3).

		f

Resources

The following resources are included as examples of tools that may be useful in improving the way your service works and for developing learning programmes for your workforce. There are a links to video clips that provide powerful stories illustrating how people can be supported. The list below is not exhaustive and we would strongly recommend that you apply your own criteria to evaluating any resources before incorporating into them your plans.

Credit card reminders
Prompt cards to help embed knowledge and understanding of dementia in the wider workforce. These can be tailored for your speci c workforce

Dementia Advisers
Dementia advisers provide a point of contact for people requiring information on issues and services related to dementia. They provide personalised information to people with dementia and their carers. This includes appropriate signposting to alternative organisations, giving advice on matters such as nance, incontinence and services for carers. It is shared role across health and social care and in collaboration with a wide range of stakeholders.
http://www.skillsforhealth.org.uk/sitesearch.html?q=national+transferable+&option=com_ artofgm& lter=0

Department of Health Dementia Information Portal
DH website which follows the implementation of the National Dementia Strategy and offers information and support to anyone with an interest in improving services for people with dementia.
http://www.dementia.dh.gov.uk

Dementia conferences for local communities
Events designed speci cally for the wider local community in order to improve the knowledge and understanding of dementia.

Hospital Discharge Plans

These plans provide an easy format to ensure a good handover of information back to carers and community services. This will improve the experience of any vulnerable person and decrease the likelihood of unnecessary repeat admissions. For more information contact Ruth.Bell@oldham.gov.uk

Discharge/Information Plan Part A
http://www.ldhealthnetwork.org.uk/docs/cispa.pdf

Discharge/Information Plan Part B
http://www.ldhealthnetwork.org.uk/docs/cispb.pdf

Hospital Passports
A lea et that has been designed to support vulnerable people when they are in hospital. It provides essential information such as how the person prefers to take medications, the support they need at meal times and their personal preferences. It can be lled in by the person or their carer and should be taken into hospital and kept by the bedside so that is always available for hospital staff to read.
www.salford.nhs.uk

Southwest Dementia Partnership
http://www.southwestdementiapartnership.org.uk/

Stirling self study course
A six part self study course in supporting dementia in the care home.
www.dementia.stir.ac.uk

This is me
An easy-to-make personalised lea et explaining the care and support an individual needs in unfamiliar situations. It should be completed by the person with dementia wherever possible.
http://alzheimers.org.uk/site/scripts/download_info.php?downloadID=399

References

DAA 2010

Dementia specific QCF Units and NOS						
WBA Unit Reference	Unit Reference	Unit Title	Level *	Credit *	GLH	NOS

Skills for Care
West Gate
6 Grace Street
Leeds
LS1 2RP

tel: 0113 245 1716
fax: 0113 243 6417
email: info@skillsforcare.org.uk
web: www.skillsforcare.org.uk

Skills for Health
2nd Floor
Goldsmiths House
Broad Plain
Bristol BS2 0JP

tel: 0117 922 1155
fax: 0117 925 1800
email: office@skillsforhealth.org.uk
web: www.skillsforhealth.org.uk